

DRAWING NO.
10101349

7

6

5

4

3

2

1

WIRE RANGE				CATALOG NUMBER	CONNECTOR				WIRE STRIP LENGTH		DIMENSIONS			REV	DATE	DESCRIPTION	ECO	BY	CHECK
BARREL A		BARREL B		CLEAR HEAT SHRINK BURNDY® TELECOM KIT STANDARD BARREL	COLOR CODE		DIE INDEX		TOLERANCES ± .07°										
AWG	MM²	AWG	MM²		BARREL A	BARREL B	BARREL A	BARREL B	BARREL A	BARREL B	BARREL A	BARREL B	L						
#6 AWG CLASS B,C,D,G,H,I,K,M	16 mm² CLASS 5	#6 AWG CLASS B,C,D,G,H,I,K,M	16 mm² CLASS 5		YS6CFXLTKITC	BLUE	BLUE	7 OR 24	7 OR 24	0.70	0.70	0.73	0.73	1.60					


INSTALLATION TOOLING (STANDARD BARREL)


CATALOG NUMBER	INSTALLATION TOOLING (# CRIMPS)		INSTALLATION TOOLING (# CRIMPS)		INSTALLATION TOOLING (# CRIMPS)		INSTALLATION TOOLING (# CRIMPS)	
CLEAR HEAT SHRINK BURNDY® TELECOM KIT STANDARD BARREL	HYDRAULIC		HYDRAULIC		MECHANICAL		DIELESS	
	Y750, Y35, Y39, Y46, PAT46 & PAT750		PAT60018V, Y500CTHS		OUR840, MD7-34R		Y644HSXT, Y644MBH, MY29-11, PAT644XTI8V- SERIES, YIMRTC	
	BARREL A	BARREL B	BARREL A	BARREL B	BARREL A	BARREL B	BARREL A	BARREL B
YS6CFXLTKITC	USCRT (1)	USCRT (1)	W5CVT(1) / W5CRT(1) / X5CRT(1)	W5CVT(1) / W5CRT(1) / X5CRT(1)	W5CVT(1) / W5CRT(1) / X5CRT(1)	W5CVT(1) / W5CRT(1) / X5CRT(1)	YIMRTC(1) / MY29-11(1) / Y644M-(1) / PAT644M-(1)	YIMRTC(1) / MY29-11(1) / Y644M-(1) / PAT644M-(1)

NOTE: THAT THERE ARE A VARIETY OF BURNDY® INSTALLATION TOOLS AVAILABLE, AND NOT ALL ARE LISTED. IF YOU HAVE QUESTIONS REGARDING TOOLING, PLEASE CONTACT OUR "CUSTOMER SERVICE DEPARTMENT" AT 1-800-346-4175.

KIT

ITEM	DESCRIPTION	QTY.
A	ELECTRO-TIN PLATED COPPER COMPRESSION CONNECTOR (SEE NOTE 1)	1
B	HEAT SHRINK TUBING (SEE NOTE2)	1
C	MULTILINGUAL INSTALLATION INSTRUCTION SHEET (SEE NOTE3)	1
D	PLASTIC BAG WITH LABELING AND PRODUCT IDENTIFIER	1





NOTES:

1. ELECTRO-TIN PLATED COPPER COMPRESSION REDUCER/SPLICE; WITH A THROUGH HOLE FOR CABLE INSPECTION ON EACH SIDE; COLOR CODE, WIRE STRIP LENGTH AND CRIMP PLACEMENT INDICATIONS ARE INCLUDED. STANDARD BARRELS LISTED UL 486A.

2. HEAT SHRINK TUBING:
CLEAR - POLYVINYL CHLORIDE - LISTED UL 224, VW-1 RATING. (VERTICAL WIRE FLAME TEST)
- PASSES TELCORDIA GR-347-CORE "ABRASION TEST".

3. EACH KIT IS PACKED IN A SEALED PLASTIC BAG INCLUDING THE INSTALLATION INSTRUCTIONS IN ENGLISH, FRENCH AND SPANISH.

4. SEE TABLE FOR SPECIFIC KIT CATALOG NUMBER.

5. FOR SPECIFIC APPLICATION TOOLS AND DIES, SEE ABOVE TOOLING TABLE.

TO ORDER BURNDY® PRODUCTS CALL

UNITED STATES
1-800-346-4175 (LONDONDERRY, NH)

CANADA:
1-800-361-6975 (QUEBEC)
1-800-387-6487 (ALL OTHER PROVINCES)

FOR PRODUCT INFO: <http://www.burndy.com>

COMPRESSION COPPER REDUCER / SPLICE KIT

ITEM NO: --

CAT. NO: (SEE TABLE)

DRAWN BY: B.SURESH BABU 6/13/09

CHECKER: J.MICHAUD 11/24/09

DSN APPVL: J.MICHAUD 11/24/09

MFG APPVL: --

QA APPVL: J.BRODEUR 11/25/09

MKT APPVL: J.SYLVA 11/23/09

PROD FAM: CM&R COMPRESSION

PROJECT #: --

DOCUMENT TYPE: Sales

REL LEVEL: Released

SCALE: 1:1

DRAWING NO 10101349

REV D

SHEET 2 OF 13

8

7

6

5

4

3

2

1



REV: PE0200

0

C

B

A

DRAWING NO. 10101349		7		6		5		4		3		2		1																											
WIRE RANGE				CATALOG NUMBER		CONNECTOR				WIRE STRIP LENGTH		DIMENSIONS			REV	DATE	DESCRIPTION			ECO	BY	CHECK																			
BARREL A		BARREL B		CLEAR HEAT SHRINK BURNDY® TELECOM KIT STANDARD BARREL		COLOR CODE		DIE INDEX		BARREL A	BARREL B	BARREL A	BARREL B	L	D	05/06/2013 00:00:00 AM	DRAWING UPDATE AS PER MARKUP			31553	YM	MB																			
AWG	MM ²	AWG	MM ²			BARREL A	BARREL B	BARREL A	BARREL B																																
#4 AWG CLASS B,C,D,G,H,I,K,M		--		#4 AWG CLASS B,C,D,G,H,I,K,M		--		YS4CFXLTCKITC		GRAY		GRAY		8		8		0.71		0.71		0.74		0.74		1.69															
INSTALLATION TOOLING (STANDARD BARREL)																																									
CATALOG NUMBER		INSTALLATION TOOLING (# CRIMPS)		INSTALLATION TOOLING (# CRIMPS)		INSTALLATION TOOLING (# CRIMPS)		INSTALLATION TOOLING (# CRIMPS)		INSTALLATION TOOLING (# CRIMPS)		INSTALLATION TOOLING (# CRIMPS)		INSTALLATION TOOLING (# CRIMPS)		INSTALLATION TOOLING (# CRIMPS)		INSTALLATION TOOLING (# CRIMPS)		INSTALLATION TOOLING (# CRIMPS)		INSTALLATION TOOLING (# CRIMPS)		INSTALLATION TOOLING (# CRIMPS)		INSTALLATION TOOLING (# CRIMPS)															
CLEAR HEAT SHRINK BURNDY® TELECOM KIT STANDARD BARREL		HYDRAULIC		HYDRAULIC		MECHANICAL		MECHANICAL		DIELESS		DIELESS		DIELESS		DIELESS		DIELESS		DIELESS		DIELESS		DIELESS		DIELESS															
		Y750, Y35, Y39, Y46, PAT46 & PAT750		PAT60018V, Y500CHS		OUR840, MD7-34R		OUR840, MD7-34R		Y644HSXT, Y644MBH, MY29-11, PAT644XT18V- SERIES, YIMRTC		Y644HSXT, Y644MBH, MY29-11, PAT644XT18V- SERIES, YIMRTC		Y644HSXT, Y644MBH, MY29-11, PAT644XT18V- SERIES, YIMRTC		Y644HSXT, Y644MBH, MY29-11, PAT644XT18V- SERIES, YIMRTC		Y644HSXT, Y644MBH, MY29-11, PAT644XT18V- SERIES, YIMRTC		Y644HSXT, Y644MBH, MY29-11, PAT644XT18V- SERIES, YIMRTC		Y644HSXT, Y644MBH, MY29-11, PAT644XT18V- SERIES, YIMRTC		Y644HSXT, Y644MBH, MY29-11, PAT644XT18V- SERIES, YIMRTC																	
		BARREL A	BARREL B	BARREL A	BARREL B	BARREL A	BARREL B	BARREL A	BARREL B	BARREL A	BARREL B	BARREL A	BARREL B	BARREL A	BARREL B	BARREL A	BARREL B	BARREL A	BARREL B	BARREL A	BARREL B	BARREL A	BARREL B	BARREL A	BARREL B	BARREL A	BARREL B														
YS4CFXLTCKITC		U4CRT (1)		U4CRT (1)		W4CVT(1) / W4CRT(1) / X4CRT(1)		W4CVT(1) / W4CRT(1) / X4CRT(1)		W4CVT(1) / W4CRT(1) / X4CRT(1)		W4CVT(1) / W4CRT(1) / X4CRT(1)		W4CVT(1) / W4CRT(1) / X4CRT(1)		W4CVT(1) / W4CRT(1) / X4CRT(1)		YIMRTC(1) / MY29-11(1) / Y644M-(1) / PAT644M-(1)		YIMRTC(1) / MY29-11(1) / Y644M-(1) / PAT644M-(1)		YIMRTC(1) / MY29-11(1) / Y644M-(1) / PAT644M-(1)		YIMRTC(1) / MY29-11(1) / Y644M-(1) / PAT644M-(1)																	
NOTE: THAT THERE ARE A VARIETY OF BURNDY® INSTALLATION TOOLS AVAILABLE, AND NOT ALL ARE LISTED. IF YOU HAVE QUESTIONS REGARDING TOOLING, PLEASE CONTACT OUR "CUSTOMER SERVICE DEPARTMENT" AT 1-800-346-4175.																																									
<table><tr><th colspan="3">KIT</th></tr><tr><th>ITEM</th><th>DESCRIPTION</th><th>QTY.</th></tr><tr><td>A</td><td>ELECTRO-TIN PLATED COPPER COMPRESSION CONNECTOR (SEE NOTE 1)</td><td>1</td></tr><tr><td>B</td><td>HEAT SHRINK TUBING (SEE NOTE2)</td><td>1</td></tr><tr><td>C</td><td>MULTILINGUAL INSTALLATION INSTRUCTION SHEET (SEE NOTE3)</td><td>1</td></tr><tr><td>D</td><td>PLASTIC BAG WITH LABELING AND PRODUCT IDENTIFIER</td><td>1</td></tr></table>  																								KIT			ITEM	DESCRIPTION	QTY.	A	ELECTRO-TIN PLATED COPPER COMPRESSION CONNECTOR (SEE NOTE 1)	1	B	HEAT SHRINK TUBING (SEE NOTE2)	1	C	MULTILINGUAL INSTALLATION INSTRUCTION SHEET (SEE NOTE3)	1	D	PLASTIC BAG WITH LABELING AND PRODUCT IDENTIFIER	1
KIT																																									
ITEM	DESCRIPTION	QTY.																																							
A	ELECTRO-TIN PLATED COPPER COMPRESSION CONNECTOR (SEE NOTE 1)	1																																							
B	HEAT SHRINK TUBING (SEE NOTE2)	1																																							
C	MULTILINGUAL INSTALLATION INSTRUCTION SHEET (SEE NOTE3)	1																																							
D	PLASTIC BAG WITH LABELING AND PRODUCT IDENTIFIER	1																																							
NOTES:																																									
1. ELECTRO-TIN PLATED COPPER COMPRESSION REDUCER/SPLICE; WITH A THROUGH HOLE FOR CABLE INSPECTION ON EACH SIDE; COLOR CODE, WIRE STRIP LENGTH AND CRIMP PLACEMENT INDICATIONS ARE INCLUDED. STANDARD BARRELS LISTED UL 486A.																																									
2. HEAT SHRINK TUBING: CLEAR - POLYVINYL CHLORIDE - LISTED UL 224, VW-1 RATING. (VERTICAL WIRE FLAME TEST) - PASSES TELCORDIA GR-347-CORE "ABRASION TEST".																																									
3. EACH KIT IS PACKED IN A SEALED PLASTIC BAG INCLUDING THE INSTALLATION INSTRUCTIONS IN ENGLISH, FRENCH AND SPANISH.																																									
4. SEE TABLE FOR SPECIFIC KIT CATALOG NUMBER.																																									
5. FOR SPECIFIC APPLICATION TOOLS AND DIES, SEE ABOVE TOOLING TABLE.																																									
TO ORDER BURNDY® PRODUCTS CALL UNITED STATES 1-800-346-4175 (LONDONDERRY, NH) CANADA: 1-800-361-6975 (QUEBEC) 1-800-387-6487 (ALL OTHER PROVINCES) FOR PRODUCT INFO: http://www.burndy.com																																									
COMPRESSION COPPER REDUCER / SPLICE KIT ITEM NO: -- CAT. NO: (SEE TABLE) DRAWN BY: B.SURESH BABU 6/13/09 CHECKER: J.MICHAUD 11/24/09 DSN APPVL: J.MICHAUD 11/24/09 MFG APPVL: -- QA APPVL: J.BRODEUR 11/25/09 MKT APPVL: J.SYLVA 11/23/09 PROD FAM: CM&R COMPRESSION PROJECT #: -- DOCUMENT TYPE: Sales REL LEVEL: Released																																									
DRAWING NO 10101349 REV D SHEET 3 OF 13 SCALE: 1:1																																									
8		7		6		5		4		3		2		1																											

REV: PE0200



DRAWING NO.
10101349

7

6

5

4

3

2

1

WIRE RANGE				CATALOG NUMBER	CONNECTOR				WIRE STRIP LENGTH		DIMENSIONS		
BARREL A		BARREL B		CLEAR HEAT SHRINK BURNDY® TELECOM KIT STANDARD BARREL	COLOR CODE		DIE INDEX		BARREL A	BARREL B	TOLERANCES ± .07°		
AWG	MM²	AWG	MM²		BARREL A	BARREL B	BARREL A	BARREL B			BARREL A	BARREL B	L
#2 AWG CLASS B,C	35 mm² CLASS 2	#2 AWG CLASS B,C	35 mm² CLASS 2		YS2CLTCKITC	BROWN	BROWN	10	10	0.78	0.78	0.78	0.78
#2 AWG CLASS B,C,D,G,H,I,K,M	35 mm² CLASS 5	#2 AWG CLASS B,C,D,G,H,I,K,M	35 mm² CLASS 5	YS2CFXLTCKITC	BROWN	BROWN	10	10	0.78	0.78	0.78	0.78	1.88


INSTALLATION TOOLING (STANDARD BARREL)


CATALOG NUMBER	INSTALLATION TOOLING (# CRIMPS)		INSTALLATION TOOLING (# CRIMPS)		INSTALLATION TOOLING (# CRIMPS)		INSTALLATION TOOLING (# CRIMPS)					
CLEAR HEAT SHRINK BURNDY® TELECOM KIT STANDARD BARREL	HYDRAULIC		HYDRAULIC		MECHANICAL		DIELESS					
	Y750, Y35, Y39, Y46, PAT46 & PAT750		PAT600I8V, Y500CTHS		OUR840, MD7-34R		Y644HSXT, Y644MBH, MY29-II, PAT644XTI8V- SERIES, MRC840					
	BARREL A	BARREL B	BARREL A	BARREL B	BARREL A	BARREL B	BARREL A			BARREL B		
YS2CLTCKITC	U2CRT (1)	U2CRT (1)	W2CVT(1) / W2CRT(1) / X2CRT(1)	W2CVT(1) / W2CRT(1) / X2CRT(1)	W2CVT(1) / W2CRT(1) / X2CRT(1)	W2CVT(1) / W2CRT(1) / X2CRT(1)	YIMRTC (1) / MY29-II(1) / Y644-(1) / PAT644-(1)			YIMRTC (1) / MY29-II(1) / Y644-(1) / PAT644-(1)		
YS2CFXLTCKITC	U2CRT (1)	U2CRT (1)	W2CVT(1) / W2CRT(1) / X2CRT(1)	W2CVT(1) / W2CRT(1) / X2CRT(1)	W2CVT(1) / W2CRT(1) / X2CRT(1)	W2CVT(1) / W2CRT(1) / X2CRT(1)	YIMRTC (1) / MY29-II(1) / Y644-(1)/ PAT644-(1)			YIMRTC (1) / MY29-II(1) / Y644-(1) / PAT644-(1)		

NOTE: THAT THERE ARE A VARIETY OF BURNDY® INSTALLATION TOOLS AVAILABLE, AND NOT ALL ARE LISTED. IF YOU HAVE QUESTIONS REGARDING TOOLING, PLEASE CONTACT OUR "CUSTOMER SERVICE DEPARTMENT" AT 1-800-346-4175.

KIT

ITEM	DESCRIPTION	QTY.
A	ELECTRO-TIN PLATED COPPER COMPRESSION CONNECTOR (SEE NOTE 1)	1
B	HEAT SHRINK TUBING (SEE NOTE2)	1
C	MULTILINGUAL INSTALLATION INSTRUCTION SHEET (SEE NOTE3)	1
D	PLASTIC BAG WITH LABELING AND PRODUCT IDENTIFIER	1





NOTES:

1. ELECTRO-TIN PLATED COPPER COMPRESSION REDUCER/SPLICE; WITH A THROUGH HOLE FOR CABLE INSPECTION ON EACH SIDE; COLOR CODE, WIRE STRIP LENGTH AND CRIMP PLACEMENT INDICATIONS ARE INCLUDED. STANDARD BARRELS LISTED UL 486A.

2. HEAT SHRINK TUBING:
CLEAR - POLYVINYL CHLORIDE - LISTED UL 224, VW-I RATING. (VERTICAL WIRE FLAME TEST)
- PASSES TELCORDIA GR-347-CORE "ABRASION TEST".

3. EACH KIT IS PACKED IN A SEALED PLASTIC BAG INCLUDING THE INSTALLATION INSTRUCTIONS IN ENGLISH, FRENCH AND SPANISH.

4. SEE TABLE FOR SPECIFIC KIT CATALOG NUMBER.

5. FOR SPECIFIC APPLICATION TOOLS AND DIES, SEE ABOVE TOOLING TABLE.

TO ORDER BURNDY® PRODUCTS CALL

UNITED STATES
1-800-346-4175 (LONDONDERRY, NH)

CANADA:
1-800-361-6975 (QUEBEC)
1-800-387-6487 (ALL OTHER PROVINCES)

FOR PRODUCT INFO: <http://www.burndy.com>

COMPRESSION COPPER REDUCER / SPLICE KIT

ITEM NO: --

CAT. NO: (SEE TABLE)

DRAWN BY: B.SURESH BABU 6/13/09

CHECKER: J.MICHAUD 11/24/09

DSN APPVL: J.MICHAUD 11/24/09

MFG APPVL: --

QA APPVL: J.BRODEUR 11/25/09

MKT APPVL: J.SYLVA 11/23/09

PROD FAM: CM&R COMPRESSION

PROJECT #: --

DOCUMENT TYPE: Sales

REL LEVEL: Released

SCALE: 1:2

DRAWING NO
10101349

REV
D

SHEET 4 OF 13

BURNDY

8

7

6

5



4



3

2

1

REV: PE0200

DRAWING NO. 10101349		7		6		5		4		3		2		1																																																																																																																																																	
WIRE RANGE				CATALOG NUMBER		CONNECTOR				WIRE STRIP LENGTH		DIMENSIONS		REV																																																																																																																																																	
BARREL A		BARREL B		CLEAR HEAT SHRINK BURNDY® TELECOM KIT STANDARD BARREL		COLOR CODE		DIE INDEX		BARREL A BARREL B		TOLERANCES ± .07°		DATE																																																																																																																																																	
AWG	MM ²	AWG	MM ²			BARREL A	BARREL B	BARREL A	BARREL B			BARREL A	BARREL B	L	DRAWING UPDATE AS PER MARKUP		ECO	BY	C'H'K.																																																																																																																																												
1/0 AWG CLASS B,C		~ ~ ~		1/0 AWG CLASS B,C		~ ~ ~		YS25LTCKITC		PINK PINK		12 12		1.00 1.00		1.00 1.00		2.37																																																																																																																																													
1/0 AWG CLASS B,C,D,G,H,I,K,M		50 mm ² CLASS 5		1/0 AWG CLASS B,C,D,G,H,I,K,M		50 mm ² CLASS 5		YS25FXLTCKITC		PINK PINK		12 12		1.00 1.00		1.00 1.00		2.37																																																																																																																																													
INSTALLATION TOOLING (STANDARD BARREL)																																																																																																																																																															
CATALOG NUMBER		INSTALLATION TOOLING (# CRIMPS)		INSTALLATION TOOLING (# CRIMPS)		INSTALLATION TOOLING (# CRIMPS)				INSTALLATION TOOLING (# CRIMPS)																																																																																																																																																					
CLEAR HEAT SHRINK BURNDY® TELECOM KIT STANDARD BARREL		HYDRAULIC		HYDRAULIC		MECHANICAL				DIELESS																																																																																																																																																					
		Y750, Y35, Y39, Y46, PAT46 & PAT750		PAT60018V, Y500CTHS		OUR840, MD7-34R				Y644HSXT, Y644MBH, MY29-11, PAT644XT18V- SERIES, MRC840																																																																																																																																																					
		BARREL A	BARREL B	BARREL A	BARREL B	BARREL A	BARREL B	BARREL A	BARREL B																																																																																																																																																						
YS25LTCKITC	U25RT (1)	U25RT (1)	W25VT(2) / W25RT(2) / X25RT(2)	W25VT(2) / W25RT(2) / X25RT(2)	W25VT(2) / W25RT(2) / X25RT(2)	W25VT(2) / W25RT(2) / X25RT(2)	W25VT(2) / W25RT(2) / X25RT(2)	W25VT(2) / W25RT(2) / X25RT(2)	W25VT(2) / W25RT(2) / X25RT(2)	MY29-11(1) / MRC840(2) / Y644-(1) / PAT644-(1)	MY29-11(1) / MRC840(2) / Y644-(1) / PAT644-(1)																																																																																																																																																				
YS25FXLTCKITC	U25RT (1)	U25RT (1)	W25VT(2) / W25RT(2) / X25RT(2)	W25VT(2) / W25RT(2) / X25RT(2)	W25VT(2) / W25RT(2) / X25RT(2)	W25VT(2) / W25RT(2) / X25RT(2)	W25VT(2) / W25RT(2) / X25RT(2)	W25VT(2) / W25RT(2) / X25RT(2)	W25VT(2) / W25RT(2) / X25RT(2)	MY29-11(1) / Y644-(1) / PAT644-(1)	MY29-11(1) / Y644-(1) / PAT644-(1)																																																																																																																																																				
NOTE: THAT THERE ARE A VARIETY OF BURNDY® INSTALLATION TOOLS AVAILABLE, AND NOT ALL ARE LISTED. IF YOU HAVE QUESTIONS REGARDING TOOLING, PLEASE CONTACT OUR "CUSTOMER SERVICE DEPARTMENT" AT 1-800-346-4175.																																																																																																																																																															
<table><tr><th colspan="3">KIT</th></tr><tr><th>ITEM</th><th>DESCRIPTION</th><th>QTY.</th></tr><tr><td>A</td><td>ELECTRO-TIN PLATED COPPER COMPRESSION CONNECTOR (SEE NOTE 1)</td><td>1</td></tr><tr><td>B</td><td>HEAT SHRINK TUBING (SEE NOTE2)</td><td>1</td></tr><tr><td>C</td><td>MULTILINGUAL INSTALLATION INSTRUCTION SHEET (SEE NOTE3)</td><td>1</td></tr><tr><td>D</td><td>PLASTIC BAG WITH LABELING AND PRODUCT IDENTIFIER</td><td>1</td></tr></table>																				KIT			ITEM	DESCRIPTION	QTY.	A	ELECTRO-TIN PLATED COPPER COMPRESSION CONNECTOR (SEE NOTE 1)	1	B	HEAT SHRINK TUBING (SEE NOTE2)	1	C	MULTILINGUAL INSTALLATION INSTRUCTION SHEET (SEE NOTE3)	1	D	PLASTIC BAG WITH LABELING AND PRODUCT IDENTIFIER	1																																																																																																																										
KIT																																																																																																																																																															
ITEM	DESCRIPTION	QTY.																																																																																																																																																													
A	ELECTRO-TIN PLATED COPPER COMPRESSION CONNECTOR (SEE NOTE 1)	1																																																																																																																																																													
B	HEAT SHRINK TUBING (SEE NOTE2)	1																																																																																																																																																													
C	MULTILINGUAL INSTALLATION INSTRUCTION SHEET (SEE NOTE3)	1																																																																																																																																																													
D	PLASTIC BAG WITH LABELING AND PRODUCT IDENTIFIER	1																																																																																																																																																													
 																																																																																																																																																															
NOTES:																																																																																																																																																															
1. ELECTRO-TIN PLATED COPPER COMPRESSION REDUCER/SPLICE; WITH A THROUGH HOLE FOR CABLE INSPECTION ON EACH SIDE; COLOR CODE, WIRE STRIP LENGTH AND CRIMP PLACEMENT INDICATIONS ARE INCLUDED. STANDARD BARRELS LISTED UL 486A.																																																																																																																																																															
2. HEAT SHRINK TUBING: CLEAR - POLYVINYL CHLORIDE - LISTED UL 224, VW-1 RATING. (VERTICAL WIRE FLAME TEST) - PASSES TELCORDIA GR-347-CORE "ABRASION TEST".																																																																																																																																																															
3. EACH KIT IS PACKED IN A SEALED PLASTIC BAG INCLUDING THE INSTALLATION INSTRUCTIONS IN ENGLISH, FRENCH AND SPANISH.																																																																																																																																																															
4. SEE TABLE FOR SPECIFIC KIT CATALOG NUMBER.																																																																																																																																																															
5. FOR SPECIFIC APPLICATION TOOLS AND DIES, SEE ABOVE TOOLING TABLE.																																																																																																																																																															
<table><tr><td colspan="10">TO ORDER BURNDY® PRODUCTS CALL UNITED STATES 1-800-346-4175 (LONDONDERRY, NH) CANADA: 1-800-361-6975 (QUEBEC) 1-800-387-6487 (ALL OTHER PROVINCES) FOR PRODUCT INFO: http://www.burndy.com</td><td colspan="10">COMPRESSION COPPER REDUCER / SPLICE KIT ITEM NO: -- CAT. NO: (SEE TABLE) DRAWN BY: B.SURESH BABU 6/13/09 CHECKER: J.MICHAUD 11/24/09 DSN APPVL: J.MICHAUD 11/24/09 MFG APPVL: -- QA APPVL: J.BRODEUR 11/25/09 MKT APPVL: J.SYLVIA 11/23/09 PROD FAM: CM&R COMPRESSION PROJECT #: -- DOCUMENT TYPE: Sales REL LEVEL: Released</td></tr><tr><td colspan="10"></td><td colspan="10">SCALE: 1:2</td></tr><tr><td colspan="10"></td><td colspan="10">DRAWING NO</td></tr><tr><td colspan="10"></td><td colspan="10">REV</td></tr><tr><td colspan="10"></td><td colspan="10">10101349</td></tr><tr><td colspan="10"></td><td colspan="10">D</td></tr><tr><td colspan="10"></td><td colspan="10">SHEET 5 OF 13</td></tr></table>																				TO ORDER BURNDY® PRODUCTS CALL UNITED STATES 1-800-346-4175 (LONDONDERRY, NH) CANADA: 1-800-361-6975 (QUEBEC) 1-800-387-6487 (ALL OTHER PROVINCES) FOR PRODUCT INFO: http://www.burndy.com										COMPRESSION COPPER REDUCER / SPLICE KIT ITEM NO: -- CAT. NO: (SEE TABLE) DRAWN BY: B.SURESH BABU 6/13/09 CHECKER: J.MICHAUD 11/24/09 DSN APPVL: J.MICHAUD 11/24/09 MFG APPVL: -- QA APPVL: J.BRODEUR 11/25/09 MKT APPVL: J.SYLVIA 11/23/09 PROD FAM: CM&R COMPRESSION PROJECT #: -- DOCUMENT TYPE: Sales REL LEVEL: Released																				SCALE: 1:2																				DRAWING NO																				REV																				10101349																				D																				SHEET 5 OF 13									
TO ORDER BURNDY® PRODUCTS CALL UNITED STATES 1-800-346-4175 (LONDONDERRY, NH) CANADA: 1-800-361-6975 (QUEBEC) 1-800-387-6487 (ALL OTHER PROVINCES) FOR PRODUCT INFO: http://www.burndy.com										COMPRESSION COPPER REDUCER / SPLICE KIT ITEM NO: -- CAT. NO: (SEE TABLE) DRAWN BY: B.SURESH BABU 6/13/09 CHECKER: J.MICHAUD 11/24/09 DSN APPVL: J.MICHAUD 11/24/09 MFG APPVL: -- QA APPVL: J.BRODEUR 11/25/09 MKT APPVL: J.SYLVIA 11/23/09 PROD FAM: CM&R COMPRESSION PROJECT #: -- DOCUMENT TYPE: Sales REL LEVEL: Released																																																																																																																																																					
										SCALE: 1:2																																																																																																																																																					
										DRAWING NO																																																																																																																																																					
										REV																																																																																																																																																					
										10101349																																																																																																																																																					
										D																																																																																																																																																					
										SHEET 5 OF 13																																																																																																																																																					
8		7		6		5		4		3		2		1																																																																																																																																																	

DRAWING NO. 10101349		7		6		5		4		3		2		1	
WIRE RANGE				CATALOG NUMBER		CONNECTOR				WIRE STRIP LENGTH		DIMENSIONS		REV	
BARREL A		BARREL B		CLEAR HEAT SHRINK BURNDY® TELECOM KIT STANDARD BARREL		COLOR CODE		DIE INDEX				TOLERANCES ± .07"		DATE	
AWG		MM ²		AWG		MM ²				BARREL A		BARREL B		L	
4/0 AWG CLASS B,C		~ ~ ~		4/0 AWG CLASS B,C		~ ~ ~		YS28LTCKITC		PURPLE		PURPLE		15	
4/0 AWG CLASS B,C,D,G,H,I,K,M		120 mm ² CLASS 5		4/0 AWG CLASS B,C,D,G,H,I,K,M		120 mm ² CLASS 5		YS28FXLTCKITC		PURPLE		PURPLE		15	
INSTALLATION TOOLING (STANDARD BARREL)															
CATALOG NUMBER		INSTALLATION TOOLING (# CRIMPS)		INSTALLATION TOOLING (# CRIMPS)		INSTALLATION TOOLING (# CRIMPS)				INSTALLATION TOOLING (# CRIMPS)					
CLEAR HEAT SHRINK BURNDY® TELECOM KIT STANDARD BARREL		HYDRAULIC		HYDRAULIC		MECHANICAL				DIELESS					
		Y750, Y35, Y39, Y46, PAT46 & PAT750		PAT60018V, Y500CTHS		OUR840, MD7-34R				Y644HSXT, Y644MBH, MY29-11, PAT644XT18V- SERIES, MRC840					
		BARREL A		BARREL B		BARREL A		BARREL B		BARREL A		BARREL B			
YS28LTCKITC		U28RT (1)		U28RT (1)		W28VT(2) / W28RT(2) / X28RT(3)		W28VT(2) / W28RT(2) / X28RT(3)		W28VT(2) / W28RT(2) / X28RT(3)		W28VT(2) / W28RT(2) / X28RT(3)		MY29-11(1) / MRC840(2) / Y644-(1) / PAT644-(1)	
YS28FXLTCKITC		U28RT (1)		U28RT (1)		W28VT(2) / W28RT(2) / X28RT(3)		W28VT(2) / W28RT(2) / X28RT(3)		W28VT(2) / W28RT(2) / X28RT(3)		W28VT(2) / W28RT(2) / X28RT(3)		MY29-11(1) / MRC840(2) / Y644-(1) / PAT644-(1)	
NOTE: THAT THERE ARE A VARIETY OF BURNDY® INSTALLATION TOOLS AVAILABLE, AND NOT ALL ARE LISTED. IF YOU HAVE QUESTIONS REGARDING TOOLING, PLEASE CONTACT OUR "CUSTOMER SERVICE DEPARTMENT" AT 1-800-346-4175.															
KIT															
ITEM		DESCRIPTION		QTY.											
A		ELECTRO-TIN PLATED COPPER COMPRESSION CONNECTOR (SEE NOTE 1)		1											
B		HEAT SHRINK TUBING (SEE NOTE2)		1											
C		MULTILINGUAL INSTALLATION INSTRUCTION SHEET (SEE NOTE3)		1											
D		PLASTIC BAG WITH LABELING AND PRODUCT IDENTIFIER		1											
															
															
NOTES:															
1. ELECTRO-TIN PLATED COPPER COMPRESSION REDUCER/SPLICE; WITH A THROUGH HOLE FOR CABLE INSPECTION ON EACH SIDE; COLOR CODE, WIRE STRIP LENGTH AND CRIMP PLACEMENT INDICATIONS ARE INCLUDED. STANDARD BARRELS LISTED UL 486A.															
2. HEAT SHRINK TUBING: CLEAR - POLYVINYL CHLORIDE - LISTED UL 224, VW-1 RATING. (VERTICAL WIRE FLAME TEST) - PASSES TELCORDIA GR-347-CORE "ABRASION TEST".															
3. EACH KIT IS PACKED IN A SEALED PLASTIC BAG INCLUDING THE INSTALLATION INSTRUCTIONS IN ENGLISH, FRENCH AND SPANISH.															
4. SEE TABLE FOR SPECIFIC KIT CATALOG NUMBER.															
5. FOR SPECIFIC APPLICATION TOOLS AND DIES, SEE ABOVE TOOLING TABLE.															
TO ORDER BURNDY® PRODUCTS CALL															
UNITED STATES 1-800-346-4175 (LONDONDERRY, NH)															
CANADA: 1-800-361-6975 (QUEBEC) 1-800-387-6487 (ALL OTHER PROVINCES)															
FOR PRODUCT INFO: http://www.burndy.com															
COMPRESSION COPPER REDUCER / SPLICE KIT															
ITEM NO: --															
CAT. NO: (SEE TABLE)															
DRAWN BY: B.SURESH BABU 6/13/09															
CHECKER: J.MICHAUD 11/24/09															
DSN APPVL: J.MICHAUD 11/24/09															
MFG APPVL: --															
QA APPVL: J.BRODEUR 11/25/09															
MKT APPVL: J.SYLVIA 11/23/09															
PROD FAM: CM&R COMPRESSION															
PROJECT #: --															
DOCUMENT TYPE: Sales															
REL LEVEL: Released															
SCALE: 1:2															
DRAWING NO															
REV															
10101349															
D															
SHEET 7 OF 13															
8		7		6		5		4		3		2		1	

DRAWING NO.
10101349

7

6

5

4

3

2

1

WIRE RANGE		CATALOG NUMBER	CONNECTOR		WIRE STRIP LENGTH		DIMENSIONS						
BARREL A		BARREL B		CLEAR HEAT SHRINK BURNDY® TELECOM KIT STANDARD BARREL	COLOR CODE		DIE INDEX		TOLERANCES ± .07°				
AWG	MM²	AWG	MM²		BARREL A	BARREL B	BARREL A	BARREL B	BARREL A	BARREL B	L		
4/0 AWG CLASS B,C,D,G,H,I,K,M	~ ~ ~	4/0 AWG CLASS B,C,D,G,H,I,K,M	~ ~ ~	YS29FXLTCKITC	YELLOW	YELLOW	I6	I6	I.38	I.38	I.38	I.38	3.26

INSTALLATION TOOLING (STANDARD BARREL)

CATALOG NUMBER	INSTALLATION TOOLING (# CRIMPS)		INSTALLATION TOOLING (# CRIMPS)		INSTALLATION TOOLING (# CRIMPS)		INSTALLATION TOOLING (# CRIMPS)	
CLEAR HEAT SHRINK BURNDY® TELECOM KIT STANDARD BARREL	HYDRAULIC		HYDRAULIC		MECHANICAL		DIELESS	
	Y750, Y35, Y39, Y46, PAT46 & PAT750		PAT600I8V, Y500CTHS		OUR840, MD7-34R		Y644HSXT, Y644MBH, MY29-II, PAT644XTI8V- SERIES, MRC840	
	BARREL A	BARREL B	BARREL A	BARREL B	BARREL A	BARREL B	BARREL A	BARREL B
YS29FXLTCKITC	U29RT (1)	U29RT (1)	W29VT(2) / W29RT(2) / X29RT(4)	W29VT(2) / W29RT(2) / X29RT(4)	W29VT (2) / X29RT (4)	W29VT (2) / X29RT (4)	Y644-(1) / PAT644-(1)	Y644-(1) / PAT644-(1)

NOTE: THAT THERE ARE A VARIETY OF BURNDY® INSTALLATION TOOLS AVAILABLE, AND NOT ALL ARE LISTED. IF YOU HAVE QUESTIONS REGARDING TOOLING, PLEASE CONTACT OUR "CUSTOMER SERVICE DEPARTMENT" AT 1-800-346-4175.

KIT

ITEM	DESCRIPTION	QTY.
A	ELECTRO-TIN PLATED COPPER COMPRESSION CONNECTOR (SEE NOTE 1)	1
B	HEAT SHRINK TUBING (SEE NOTE2)	1
C	MULTILINGUAL INSTALLATION INSTRUCTION SHEET (SEE NOTE3)	1
D	PLASTIC BAG WITH LABELING AND PRODUCT IDENTIFIER	1

NOTES:

1. ELECTRO-TIN PLATED COPPER COMPRESSSION REDUCER/SPLICE; WITH A THROUGH HOLE FOR CABLE INSPECTION ON EACH SIDE; COLOR CODE, WIRE STRIP LENGTH AND CRIMP PLACEMENT INDICATIONS ARE INCLUDED. STANDARD BARRELS LISTED UL 486A.

2. HEAT SHRINK TUBING:
CLEAR - POLYVINYL CHLORIDE - LISTED UL 224, VW-I RATING. (VERTICAL WIRE FLAME TEST)
- PASSES TELCORDIA GR-347-CORE "ABRASION TEST".

3. EACH KIT IS PACKED IN A SEALED PLASTIC BAG INCLUDING THE INSTALLATION INSTRUCTIONS IN ENGLISH, FRENCH AND SPANISH.

4. SEE TABLE FOR SPECIFIC KIT CATALOG NUMBER.

5. FOR SPECIFIC APPLICATION TOOLS AND DIES, SEE ABOVE TOOLING TABLE.

TO ORDER BURNDY® PRODUCTS CALL

UNITED STATES
1-800-346-4175 (LONDONDERRY, NH)

CANADA:
1-800-361-6975 (QUEBEC)
1-800-387-6487 (ALL OTHER PROVINCES)

FOR PRODUCT INFO: <http://www.burndy.com>

COMPRESSION COPPER REDUCER / SPLICE KIT

ITEM NO: --

CAT. NO: (SEE TABLE)

DRAWN BY: B.SURESH BABU 6/13/09

CHECKER: J.MICHAUD 11/24/09

DSN APPVL: J.MICHAUD 11/24/09

MFG APPVL: --

QA APPVL: J.BRODEUR 11/25/09

MKT APPVL: J.SYLVIA 11/23/09

PROD FAM: CM&R COMPRESSION

PROJECT #: --

DOCUMENT TYPE: Sales

REL LEVEL: Released

SCALE: 1:2

DRAWING NO

REV

10101349

D

SHEET 8 OF 13

BURNDY

8

7

6

5

4



3

2

1

REV: PE0200

A

DRAWING NO. 10101349		7		6		5		4		3		2		1																											
WIRE RANGE				CATALOG NUMBER		CONNECTOR				WIRE STRIP LENGTH		DIMENSIONS		REV		DATE		DESCRIPTION		ECO	BY	CHK.																			
BARREL A		BARREL B		CLEAR HEAT SHRINK BURNDY® TELECOM KIT STANDARD BARREL		COLOR CODE		DIE INDEX				TOLERANCES ± .07°		D		05/06/2013 00:00:00 AM		DRAWING UPDATE AS PER MARKUP		31553	YM	MB																			
AWG	MM ²	AWG	MM ²			BARREL A	BARREL B	BARREL A	BARREL B	BARREL A	BARREL B	BARREL A	BARREL B	L																											
350 kcmil CLASS B,C	185 mm ² CLASS 2	350 kcmil CLASS B,C	185 mm ² CLASS 2	YS3ILTCKITC	RED	RED	18	18	1.42	1.42	1.42	1.42	3.40																												
INSTALLATION TOOLING (STANDARD BARREL)																																									
CATALOG NUMBER		INSTALLATION TOOLING (# CRIMPS)		INSTALLATION TOOLING (# CRIMPS)		INSTALLATION TOOLING (# CRIMPS)				INSTALLATION TOOLING (# CRIMPS)																															
CLEAR HEAT SHRINK BURNDY® TELECOM KIT STANDARD BARREL		HYDRAULIC		HYDRAULIC		MECHANICAL				DIELESS																															
		Y750, Y35, Y39, Y46, PAT460 & PAT750		PAT60018V, Y500CTHS		OUR840, MD7-34R				Y644HSXT, Y644MBH, MY29-11, PAT644XT18V- SERIES, MRC840																															
		BARREL A		BARREL B		BARREL A		BARREL B		BARREL A		BARREL B																													
		U3IRT (2)		U3IRT (2)		W3IVT(2) / W3IRT(2)		W3IVT(2) / W3IRT(2)		W3IVT (2)		W3IVT (2)		Y644-(1) / PAT644-(1)		Y644-(1) / PAT644-(1)																									
NOTE: THAT THERE ARE A VARIETY OF BURNDY® INSTALLATION TOOLS AVAILABLE, AND NOT ALL ARE LISTED. IF YOU HAVE QUESTIONS REGARDING TOOLING, PLEASE CONTACT OUR "CUSTOMER SERVICE DEPARTMENT" AT 1-800-346-4175.																																									
<table><tr><th colspan="3">KIT</th></tr><tr><th>ITEM</th><th>DESCRIPTION</th><th>QTY.</th></tr><tr><td>A</td><td>ELECTRO-TIN PLATED COPPER COMPRESSION CONNECTOR (SEE NOTE 1)</td><td>1</td></tr><tr><td>B</td><td>HEAT SHRINK TUBING (SEE NOTE2)</td><td>1</td></tr><tr><td>C</td><td>MULTILINGUAL INSTALLATION INSTRUCTION SHEET (SEE NOTE3)</td><td>1</td></tr><tr><td>D</td><td>PLASTIC BAG WITH LABELING AND PRODUCT IDENTIFIER</td><td>1</td></tr></table> 																								KIT			ITEM	DESCRIPTION	QTY.	A	ELECTRO-TIN PLATED COPPER COMPRESSION CONNECTOR (SEE NOTE 1)	1	B	HEAT SHRINK TUBING (SEE NOTE2)	1	C	MULTILINGUAL INSTALLATION INSTRUCTION SHEET (SEE NOTE3)	1	D	PLASTIC BAG WITH LABELING AND PRODUCT IDENTIFIER	1
KIT																																									
ITEM	DESCRIPTION	QTY.																																							
A	ELECTRO-TIN PLATED COPPER COMPRESSION CONNECTOR (SEE NOTE 1)	1																																							
B	HEAT SHRINK TUBING (SEE NOTE2)	1																																							
C	MULTILINGUAL INSTALLATION INSTRUCTION SHEET (SEE NOTE3)	1																																							
D	PLASTIC BAG WITH LABELING AND PRODUCT IDENTIFIER	1																																							
NOTES:																																									
1. ELECTRO-TIN PLATED COPPER COMPRESSION REDUCER/SPLICE; WITH A THROUGH HOLE FOR CABLE INSPECTION ON EACH SIDE; COLOR CODE, WIRE STRIP LENGTH AND CRIMP PLACEMENT INDICATIONS ARE INCLUDED. STANDARD BARRELS LISTED UL 486A.																																									
2. HEAT SHRINK TUBING: CLEAR - POLYVINYL CHLORIDE - LISTED UL 224, VW-1 RATING. (VERTICAL WIRE FLAME TEST) - PASSES TELCORDIA GR-347-CORE "ABRASION TEST".																																									
3. EACH KIT IS PACKED IN A SEALED PLASTIC BAG INCLUDING THE INSTALLATION INSTRUCTIONS IN ENGLISH, FRENCH AND SPANISH.																																									
4. SEE TABLE FOR SPECIFIC KIT CATALOG NUMBER.																																									
5. FOR SPECIFIC APPLICATION TOOLS AND DIES, SEE ABOVE TOOLING TABLE.																																									
TO ORDER BURNDY® PRODUCTS CALL UNITED STATES 1-800-346-4175 (LONDONDERRY, NH) CANADA: 1-800-361-6975 (QUEBEC) 1-800-387-6487 (ALL OTHER PROVINCES) FOR PRODUCT INFO: http://www.burndy.com												COMPRESSION COPPER REDUCER / SPLICE KIT ITEM NO: -- CAT. NO: (SEE TABLE) DRAWN BY: B.SURESH BABU 6/13/09 CHECKER: J.MICHAUD 11/24/09 DSN APPVL: J.MICHAUD 11/24/09 MFG APPVL: -- QA APPVL: J.BRODEUR 11/25/09 MKT APPVL: J.SYLVIA 11/23/09 PROD FAM: CM&R COMPRESSION PROJECT #: -- DOCUMENT TYPE: Sales REL LEVEL: Released																													
SCALE: 1:2												DRAWING NO 10101349 SHEET 9 OF 13																													
D												REV D																													
8		7		6		5		4		3		2		1																											

REV: PE0200

A

B

C

D

A



B

C

D

DRAWING NO. 10101349		7		6		5		4		3		2		1													
WIRE RANGE				CATALOG NUMBER		CONNECTOR				WIRE STRIP LENGTH		DIMENSIONS			REV	DATE	DESCRIPTION			ECO	BY	CHECK					
BARREL A		BARREL B		CLEAR HEAT SHRINK BURNDY® TELECOM KIT STANDARD BARREL		COLOR CODE		DIE INDEX		BARREL A BARREL B		TOLERANCES ± .07°			D	05/06/2013 00:00:00 AM	DRAWING UPDATE AS PER MARKUP	31553	YM	MB							
AWG	MM ²	AWG	MM ²			BARREL A	BARREL B	BARREL A	BARREL B			BARREL A	BARREL B	L													
500 kcmil CLASS B,C		240 mm² CLASS 2		500 kcmil CLASS B,C		240 mm² CLASS 2		YS34LTCKITC <6		BROWN		BROWN		20		20		1.60		1.60		1.60		1.60		3.87	
350 kcmil CLASS B,C,D,G,H,I,K,M		240 mm² CLASS 5		350 kcmil CLASS B,C,D,G,H,I,K,M		240 mm² CLASS 5		YS34FXLTCKITC		BLUE		BLUE		19 OR L80		19 OR L80		1.60		1.60		1.60		1.60		3.87	
INSTALLATION TOOLING (STANDARD BARREL)																											
CATALOG NUMBER		INSTALLATION TOOLING (# CRIMPS)				INSTALLATION TOOLING (# CRIMPS)				INSTALLATION TOOLING (# CRIMPS)				INSTALLATION TOOLING (# CRIMPS)													
CLEAR HEAT SHRINK BURNDY® TELECOM KIT STANDARD BARREL		HYDRAULIC				HYDRAULIC				MECHANICAL				DIELESS													
		Y750, Y35, Y39, Y46, PAT46 & PAT750				PAT60018V, Y500CTHS				OUR840, MD7-34R				Y644HSXT, Y644MBH, MY29-11, PAT644XT18V- SERIES, MRC840													
		BARREL A		BARREL B		BARREL A		BARREL B		BARREL A		BARREL B		BARREL A		BARREL B											
YS34LTCKITC <6		U34RT(2)/U3IART(2)		U34RT (2)		W34VT(2) / W34RT(2)		W34VT(2) / W34RT(2)		W34VT (2)		W34VT (2)		Y644-(1) / PAT644-(1)		Y644-(1) / PAT644-(1)											
YS34FXLTCKITC		U32RT (2)		U32RT (2)		W32VT(2) / W32RT(2)		W32VT(2) / W32RT(2)		W32VT (2)		W32VT (2)		Y644-(1) / PAT644-(1)		Y644-(1) / PAT644-(1)											
NOTE: THAT THERE ARE A VARIETY OF BURNDY® INSTALLATION TOOLS AVAILABLE, AND NOT ALL ARE LISTED. IF YOU HAVE QUESTIONS REGARDING TOOLING, PLEASE CONTACT OUR "CUSTOMER SERVICE DEPARTMENT" AT 1-800-346-4175.																											
KIT																											
ITEM		DESCRIPTION																		QTY.							
A		ELECTRO-TIN PLATED COPPER COMPRESSION CONNECTOR (SEE NOTE 1)																		1							
B		HEAT SHRINK TUBING (SEE NOTE2)																		1							
C		MULTILINGUAL INSTALLATION INSTRUCTION SHEET (SEE NOTE3)																		1							
D		PLASTIC BAG WITH LABELING AND PRODUCT IDENTIFIER																		1							
NOTES:																											
1. ELECTRO-TIN PLATED COPPER COMPRESSION REDUCER/SPLICE; WITH A THROUGH HOLE FOR CABLE INSPECTION ON EACH SIDE; COLOR CODE, WIRE STRIP LENGTH AND CRIMP PLACEMENT INDICATIONS ARE INCLUDED. STANDARD BARRELS LISTED UL 486A.																											
2. HEAT SHRINK TUBING: CLEAR - POLYVINYL CHLORIDE - LISTED UL 224, VW-1 RATING. (VERTICAL WIRE FLAME TEST) - PASSES TELCORDIA GR-347-CORE "ABRASION TEST".																											
3. EACH KIT IS PACKED IN A SEALED PLASTIC BAG INCLUDING THE INSTALLATION INSTRUCTIONS IN ENGLISH, FRENCH AND SPANISH.																											
4. SEE TABLE FOR SPECIFIC KIT CATALOG NUMBER.																											
5. FOR SPECIFIC APPLICATION TOOLS AND DIES, SEE ABOVE TOOLING TABLE.																											
6 > THESE ITEMS WILL BE DEVELOPED IN CONJUNCTION WITH TYCO ELECTRONICS POWER SYSTEMS AND WILL HAVE TYCO MARKINGS ON THEM.																											
TO ORDER BURNDY® PRODUCTS CALL UNITED STATES 1-800-346-4175 (LONDONDERRY, NH) CANADA: 1-800-361-6975 (QUEBEC) 1-800-387-6487 (ALL OTHER PROVINCES) FOR PRODUCT INFO: http://www.burndy.com										COMPRESSION COPPER REDUCER / SPLICE KIT ITEM NO: -- CAT. NO: (SEE TABLE) DRAWN BY: B.SURESH BABU 6/13/09 CHECKER: J.MICHAUD 11/24/09 DSN APPVL: J.MICHAUD 11/24/09 MFG APPVL: -- QA APPVL: J.BRODEUR 11/25/09 MKT APPVL: J.SYLVA 11/23/09 PROD FAM: CM&R COMPRESSION PROJECT #: -- DOCUMENT TYPE: Sales REL LEVEL: Released																	
										SCALE: 1:2 DRAWING NO REV																	
										SIZE 10101349 D																	
										SHEET 10 OF 13																	
8		7		6		5		4		3		2		1													

REV: PE0200

DRAWING NO. 10101349		7		6		5		4		3		2		1																																																			
WIRE RANGE				CATALOG NUMBER		CONNECTOR				WIRE STRIP LENGTH		DIMENSIONS			REV		DATE		DESCRIPTION		ECO	BY	CHECK																																										
BARREL A		BARREL B		CLEAR HEAT SHRINK BURNDY® TELECOM KIT STANDARD BARREL		COLOR CODE		DIE INDEX		BARREL A	BARREL B	TOLERANCES ± .07°			D	05/06/2013 00:00:00 AM	DRAWING UPDATE AS PER MARKUP	31553	YM	MB																																													
AWG	MM²	AWG	MM²			BARREL A	BARREL B	BARREL A	BARREL B			BARREL A	BARREL B	L																																																			
500 kcmil CLASS B,C,D,G,H,I,K,M	300 mm² CLASS 5	500 kcmil CLASS B,C,D,G,H,I,K,M	300 mm² CLASS 5	YS38FXLTCKITC 		PINK	PINK	L99	L99	1.77	1.77	1.77	1.77	4.30																																																			
INSTALLATION TOOLING (STANDARD BARREL)																																																																	
CATALOG NUMBER		INSTALLATION TOOLING (# CRIMPS)		INSTALLATION TOOLING (# CRIMPS)		INSTALLATION TOOLING (# CRIMPS)				INSTALLATION TOOLING (# CRIMPS)																																																							
CLEAR HEAT SHRINK BURNDY® TELECOM KIT STANDARD BARREL	HYDRAULIC		HYDRAULIC		MECHANICAL				DIELESS																																																								
	Y750, Y35, Y39, Y46, PAT46 & PAT750		PAT60018V, Y500CTHS		OUR840, MD7-34R				Y644HSXT, Y644MBH, MY29-11, PAT644XT18V- SERIES, MRC840																																																								
	BARREL A	BARREL B	BARREL A	BARREL B	BARREL A	BARREL B	BARREL A	BARREL B																																																									
YS38FXLTCKITC 	U38XRT (2)	U38XRT (2)	N/A	N/A	N/A	N/A					Y644-(1) / PAT644-(1)		Y644-(1) / PAT644-(1)																																																				
NOTE: THAT THERE ARE A VARIETY OF BURNDY® INSTALLATION TOOLS AVAILABLE, AND NOT ALL ARE LISTED. IF YOU HAVE QUESTIONS REGARDING TOOLING, PLEASE CONTACT OUR "CUSTOMER SERVICE DEPARTMENT" AT 1-800-346-4175.																																																																	
<table><tr><th colspan="3">KIT</th></tr><tr><th>ITEM</th><th>DESCRIPTION</th><th>QTY.</th></tr><tr><td>A</td><td>ELECTRO-TIN PLATED COPPER COMPRESSION CONNECTOR (SEE NOTE 1)</td><td>1</td></tr><tr><td>B</td><td>HEAT SHRINK TUBING (SEE NOTE2)</td><td>1</td></tr><tr><td>C</td><td>MULTILINGUAL INSTALLATION INSTRUCTION SHEET (SEE NOTE3)</td><td>1</td></tr><tr><td>D</td><td>PLASTIC BAG WITH LABELING AND PRODUCT IDENTIFIER</td><td>1</td></tr></table>   <td colspan="24"></td>																								KIT			ITEM	DESCRIPTION	QTY.	A	ELECTRO-TIN PLATED COPPER COMPRESSION CONNECTOR (SEE NOTE 1)	1	B	HEAT SHRINK TUBING (SEE NOTE2)	1	C	MULTILINGUAL INSTALLATION INSTRUCTION SHEET (SEE NOTE3)	1	D	PLASTIC BAG WITH LABELING AND PRODUCT IDENTIFIER	1																								
KIT																																																																	
ITEM	DESCRIPTION	QTY.																																																															
A	ELECTRO-TIN PLATED COPPER COMPRESSION CONNECTOR (SEE NOTE 1)	1																																																															
B	HEAT SHRINK TUBING (SEE NOTE2)	1																																																															
C	MULTILINGUAL INSTALLATION INSTRUCTION SHEET (SEE NOTE3)	1																																																															
D	PLASTIC BAG WITH LABELING AND PRODUCT IDENTIFIER	1																																																															
NOTES:																																																																	
1. ELECTRO-TIN PLATED COPPER COMPRESSION REDUCER/SPLICE; WITH A THROUGH HOLE FOR CABLE INSPECTION ON EACH SIDE; COLOR CODE, WIRE STRIP LENGTH AND CRIMP PLACEMENT INDICATIONS ARE INCLUDED. STANDARD BARRELS LISTED UL 486A.																																																																	
2. HEAT SHRINK TUBING: CLEAR - POLYVINYL CHLORIDE - LISTED UL 224, VW-1 RATING. (VERTICAL WIRE FLAME TEST) - PASSES TELCORDIA GR-347-CORE "ABRASION TEST".																																																																	
3. EACH KIT IS PACKED IN A SEALED PLASTIC BAG INCLUDING THE INSTALLATION INSTRUCTIONS IN ENGLISH, FRENCH AND SPANISH.																																																																	
4. SEE TABLE FOR SPECIFIC KIT CATALOG NUMBER.																																																																	
5. FOR SPECIFIC APPLICATION TOOLS AND DIES, SEE ABOVE TOOLING TABLE.																																																																	
 THESE ITEMS WILL BE DEVELOPED IN CONJUNCTION WITH TYCO ELECTRONICS POWER SYSTEMS AND WILL HAVE TYCO MARKINGS ON THEM.																																																																	
TO ORDER BURNDY® PRODUCTS CALL UNITED STATES 1-800-346-4175 (LONDONDERRY, NH) CANADA: 1-800-361-6975 (QUEBEC) 1-800-387-6487 (ALL OTHER PROVINCES) FOR PRODUCT INFO: http://www.burndy.com										<table><tr><td colspan="2">COMPRESSION COPPER REDUCER / SPLICE KIT</td></tr><tr><td>ITEM NO:</td><td>--</td></tr><tr><td>CAT. NO:</td><td>(SEE TABLE)</td></tr><tr><td>DRAWN BY:</td><td>B.SURESH BABU 6/13/09</td></tr><tr><td>CHECKER:</td><td>J.MICHAUD 11/24/09</td></tr><tr><td>DSN APPVL:</td><td>J.MICHAUD 11/24/09</td></tr><tr><td>MFG APPVL:</td><td>--</td></tr><tr><td>QA APPVL:</td><td>J.BRODEUR 11/25/09</td></tr><tr><td>MKT APPVL:</td><td>J.SYLVA 11/23/09</td></tr><tr><td>PROD FAM:</td><td>CM&R COMPRESSION</td></tr><tr><td>PROJECT #:</td><td>--</td></tr><tr><td>DOCUMENT TYPE:</td><td>Sales</td></tr><tr><td>REL LEVEL:</td><td>Released</td></tr></table>  <table><tr><td colspan="2">SCALE: 1:2</td></tr><tr><td>DRAWING NO</td><td>REV</td></tr><tr><td>10101349</td><td>D</td></tr><tr><td colspan="2">SHEET 11 OF 13</td></tr></table>														COMPRESSION COPPER REDUCER / SPLICE KIT		ITEM NO:	--	CAT. NO:	(SEE TABLE)	DRAWN BY:	B.SURESH BABU 6/13/09	CHECKER:	J.MICHAUD 11/24/09	DSN APPVL:	J.MICHAUD 11/24/09	MFG APPVL:	--	QA APPVL:	J.BRODEUR 11/25/09	MKT APPVL:	J.SYLVA 11/23/09	PROD FAM:	CM&R COMPRESSION	PROJECT #:	--	DOCUMENT TYPE:	Sales	REL LEVEL:	Released	SCALE: 1:2		DRAWING NO	REV	10101349	D	SHEET 11 OF 13									
COMPRESSION COPPER REDUCER / SPLICE KIT																																																																	
ITEM NO:	--																																																																
CAT. NO:	(SEE TABLE)																																																																
DRAWN BY:	B.SURESH BABU 6/13/09																																																																
CHECKER:	J.MICHAUD 11/24/09																																																																
DSN APPVL:	J.MICHAUD 11/24/09																																																																
MFG APPVL:	--																																																																
QA APPVL:	J.BRODEUR 11/25/09																																																																
MKT APPVL:	J.SYLVA 11/23/09																																																																
PROD FAM:	CM&R COMPRESSION																																																																
PROJECT #:	--																																																																
DOCUMENT TYPE:	Sales																																																																
REL LEVEL:	Released																																																																
SCALE: 1:2																																																																	
DRAWING NO	REV																																																																
10101349	D																																																																
SHEET 11 OF 13																																																																	
8	7	6	5	4	3	2	1																																																										

REV: PE0200

DRAWING NO. 10101349		7		6		5		4		3		2		1						
WIRE RANGE				CATALOG NUMBER		CONNECTOR				WIRE STRIP LENGTH		DIMENSIONS		REV						
BARREL A		BARREL B		CLEAR HEAT SHRINK BURNDY® TELECOM KIT STANDARD BARREL		COLOR CODE		DIE INDEX		BARREL A BARREL B		TOLERANCES ± .07°		DATE						
AWG	MM ²	AWG	MM ²			BARREL A	BARREL B	BARREL A	BARREL B			BARREL A	BARREL B	L	DESCRIPTION	ECO	BY	C'H'K.		
750 kcmil CLASS B,C	~ ~ ~	750 kcmil CLASS B,C	~ ~ ~	YS39LTCKITC		BLACK	BLACK	24	24	1.67	1.67	1.67	1.67	4.13	D	05/06/2013 00:00:00 AM	DRAWING UPDATE AS PER MARKUP	31553	YM	MB
INSTALLATION TOOLING (STANDARD BARREL)																				
CATALOG NUMBER	INSTALLATION TOOLING (# CRIMPS)			INSTALLATION TOOLING (# CRIMPS)			INSTALLATION TOOLING (# CRIMPS)			INSTALLATION TOOLING (# CRIMPS)										
CLEAR HEAT SHRINK BURNDY® TELECOM KIT STANDARD BARREL	HYDRAULIC			HYDRAULIC			MECHANICAL			DIELESS										
	Y750, Y35, Y39, Y46, PAT46 & PAT750			PAT60018V, Y500CTHS			OUR840, MD7-34R			Y644HSXT, Y644MBH, MY29-II, PAT644XT18V- SERIES, MRC840										
	BARREL A	BARREL B		BARREL A	BARREL B		BARREL A	BARREL B		BARREL A	BARREL B									
YS39LTCKITC	U39RT(2)/P39RT(2)	U39RT(2)/P39RT(2)		N/A		N/A		N/A		N/A		Y644-(1) / PAT644-(1)		Y644-(1) / PAT644-(1)						
NOTE: THAT THERE ARE A VARIETY OF BURNDY® INSTALLATION TOOLS AVAILABLE, AND NOT ALL ARE LISTED. IF YOU HAVE QUESTIONS REGARDING TOOLING, PLEASE CONTACT OUR "CUSTOMER SERVICE DEPARTMENT" AT 1-800-346-4175.																				
KIT																				
ITEM	DESCRIPTION				QTY.															
A	ELECTRO-TIN PLATED COPPER COMPRESSION CONNECTOR (SEE NOTE 1)				1															
B	HEAT SHRINK TUBING (SEE NOTE2)				1															
C	MULTILINGUAL INSTALLATION INSTRUCTION SHEET (SEE NOTE3)				1															
D	PLASTIC BAG WITH LABELING AND PRODUCT IDENTIFIER				1															
NOTES:																				
1. ELECTRO-TIN PLATED COPPER COMPRESSION REDUCER/SPLICE; WITH A THROUGH HOLE FOR CABLE INSPECTION ON EACH SIDE; COLOR CODE, WIRE STRIP LENGTH AND CRIMP PLACEMENT INDICATIONS ARE INCLUDED. STANDARD BARRELS LISTED UL 486A.																				
2. HEAT SHRINK TUBING: CLEAR - POLYVINYL CHLORIDE - LISTED UL 224, VW-I RATING. (VERTICAL WIRE FLAME TEST) - PASSES TELCORDIA GR-347-CORE "ABRASION TEST".																				
3. EACH KIT IS PACKED IN A SEALED PLASTIC BAG INCLUDING THE INSTALLATION INSTRUCTIONS IN ENGLISH, FRENCH AND SPANISH.																				
4. SEE TABLE FOR SPECIFIC KIT CATALOG NUMBER.																				
5. FOR SPECIFIC APPLICATION TOOLS AND DIES, SEE ABOVE TOOLING TABLE.																				
6. THESE ITEMS WILL BE DEVELOPED IN CONJUNCTION WITH TYCO ELECTRONICS POWER SYSTEMS AND WILL HAVE TYCO MARKINGS ON THEM.																				
TO ORDER BURNDY® PRODUCTS CALL UNITED STATES 1-800-346-4175 (LONDONDERRY, NH) CANADA: 1-800-361-6975 (QUEBEC) 1-800-387-6487 (ALL OTHER PROVINCES) FOR PRODUCT INFO: http://www.burndy.com										COMPRESSION COPPER REDUCER / SPLICE KIT										
										ITEM NO: --										
										CAT. NO: (SEE TABLE)										
										DRAWN BY: B.SURESH BABU 6/13/09										
										CHECKER: J.MICHAUD 11/24/09										
										DSN APPVL: J.MICHAUD 11/24/09										
										MFG APPVL: --										
										QA APPVL: J.BRODEUR 11/25/09										
										MKT APPVL: J.SYLVA 11/23/09										
										PROD FAM: CM&R COMPRESSION										
										DRAWING NO										
										PROJECT #: --										
										SIZE										
										DOCUMENT TYPE: Sales										
										REL LEVEL: Released										
										D										
										10101349										
										SHEET 12 OF 13										
										D										

REV: PE0200

DRAWING NO. 10101349		7		6		5		4		3		2		1															
WIRE RANGE				CATALOG NUMBER		CONNECTOR				WIRE STRIP LENGTH		DIMENSIONS			REV	DATE	DESCRIPTION			ECO	BY	C.H.K.							
BARREL A		BARREL B		CLEAR HEAT SHRINK BURNDY® TELECOM KIT STANDARD BARREL		COLOR CODE		DIE INDEX		BARREL A BARREL B		TOLERANCES ± .07°			D	05/06/2013 00:00:00 AM	DRAWING UPDATE AS PER MARKUP	31553	YM	MB									
AWG	MM ²	AWG	MM ²			BARREL A	BARREL B	BARREL A	BARREL B			BARREL A	BARREL B	L															
750 kcmil CLASS B,C,D,G,H,I,K,M	500 mm ² CLASS 5	750 kcmil CLASS B,C,D,G,H,I,K,M	500 mm ² CLASS 5	YS44FXLTCKITC	YELLOW	YELLOW	L115	L115	1.96	1.96	1.96	1.96	4.81																
INSTALLATION TOOLING (STANDARD BARREL)																													
CATALOG NUMBER	INSTALLATION TOOLING (# CRIMPS)		INSTALLATION TOOLING (# CRIMPS)		INSTALLATION TOOLING (# CRIMPS)				INSTALLATION TOOLING (# CRIMPS)																				
CLEAR HEAT SHRINK BURNDY® TELECOM KIT STANDARD BARREL	HYDRAULIC		HYDRAULIC		MECHANICAL				DIELESS																				
	Y750, Y35, Y39, Y46, PAT46 & PAT750		PAT60018V, Y500CTHS		OUR840, MD7-34R				Y644HSXT, Y644MBH, MY29-11, PAT644XT18V- SERIES, MRC840																				
	BARREL A	BARREL B	BARREL A	BARREL B	BARREL A	BARREL B	BARREL A	BARREL B																					
YS44FXLTCKITC	U44XRT (2)	U44XRT (2)	N/A	N/A	N/A	N/A	N/A	N/A	Y644-(1) / PAT644-(1)	Y644-(1) / PAT644-(1)																			
NOTE: THAT THERE ARE A VARIETY OF BURNDY® INSTALLATION TOOLS AVAILABLE, AND NOT ALL ARE LISTED. IF YOU HAVE QUESTIONS REGARDING TOOLING, PLEASE CONTACT OUR "CUSTOMER SERVICE DEPARTMENT" AT 1-800-346-4175.																													
<table><tr><th colspan="3">KIT</th></tr><tr><th>ITEM</th><th>DESCRIPTION</th><th>QTY.</th></tr><tr><td>A</td><td>ELECTRO-TIN PLATED COPPER COMPRESSION CONNECTOR (SEE NOTE 1)</td><td>1</td></tr><tr><td>B</td><td>HEAT SHRINK TUBING (SEE NOTE2)</td><td>1</td></tr><tr><td>C</td><td>MULTILINGUAL INSTALLATION INSTRUCTION SHEET (SEE NOTE3)</td><td>1</td></tr><tr><td>D</td><td>PLASTIC BAG WITH LABELING AND PRODUCT IDENTIFIER</td><td>1</td></tr></table>				KIT			ITEM	DESCRIPTION	QTY.	A	ELECTRO-TIN PLATED COPPER COMPRESSION CONNECTOR (SEE NOTE 1)	1	B	HEAT SHRINK TUBING (SEE NOTE2)	1	C	MULTILINGUAL INSTALLATION INSTRUCTION SHEET (SEE NOTE3)	1	D	PLASTIC BAG WITH LABELING AND PRODUCT IDENTIFIER	1								
KIT																													
ITEM	DESCRIPTION	QTY.																											
A	ELECTRO-TIN PLATED COPPER COMPRESSION CONNECTOR (SEE NOTE 1)	1																											
B	HEAT SHRINK TUBING (SEE NOTE2)	1																											
C	MULTILINGUAL INSTALLATION INSTRUCTION SHEET (SEE NOTE3)	1																											
D	PLASTIC BAG WITH LABELING AND PRODUCT IDENTIFIER	1																											
NOTES:																													
1. ELECTRO-TIN PLATED COPPER COMPRESSION REDUCER/SPLICE; WITH A THROUGH HOLE FOR CABLE INSPECTION ON EACH SIDE; COLOR CODE, WIRE STRIP LENGTH AND CRIMP PLACEMENT INDICATIONS ARE INCLUDED. STANDARD BARRELS LISTED UL 486A.																													
2. HEAT SHRINK TUBING: CLEAR - POLYVINYL CHLORIDE - LISTED UL 224, VW-1 RATING. (VERTICAL WIRE FLAME TEST) - PASSES TELCORDIA GR-347-CORE "ABRASION TEST".																													
3. EACH KIT IS PACKED IN A SEALED PLASTIC BAG INCLUDING THE INSTALLATION INSTRUCTIONS IN ENGLISH, FRENCH AND SPANISH.																													
4. SEE TABLE FOR SPECIFIC KIT CATALOG NUMBER.																													
5. FOR SPECIFIC APPLICATION TOOLS AND DIES, SEE ABOVE TOOLING TABLE.																													
TO ORDER BURNDY® PRODUCTS CALL										COMPRESSION COPPER REDUCER / SPLICE KIT																			
UNITED STATES 1-800-346-4175 (LONDONDERRY, NH) CANADA: 1-800-361-6975 (QUEBEC) 1-800-387-6487 (ALL OTHER PROVINCES) FOR PRODUCT INFO: http://www.burndy.com										ITEM NO: --																			
										CAT. NO: (SEE TABLE)																			
										DRAWN BY: B.SURESH BABU 6/13/09																			
										CHECKER: J.MICHAUD 11/24/09																			
										DSN APPVL: J.MICHAUD 11/24/09																			
										MFG APPVL: --																			
										QA APPVL: J.BRODEUR 11/25/09																			
MKT APPVL: J.SYLVA 11/23/09										SCALE: 1:2		DRAWING NO		REV															
PROD FAM: CM&R COMPRESSION										10101349		D																	
PROJECT #: --										SIZE		SHEET 13 OF 13																	
DOCUMENT TYPE: Sales										D																			
REL LEVEL: Released																													
8		7		6		5		4		3		2		1															