

DATA SHEET

Three Phase Induction Motor - Squirrel Cage



Customer :

Product line : W22 Tru-Metric IE3 Three-Phase

Product code : 13034114
Catalog # : 18518ET3Y315S/M-W22

Frame	: 315S/M	Locked rotor time	: 32s (cold) 18s (hot)
Output	: 250 HP (185 kW)	Temperature rise	: 80 K
Poles	: 4	Duty cycle	: S1
Frequency	: 50 Hz	Ambient temperature	: -20°C to +40°C
Rated voltage	: 380 V	Altitude	: 1000 m.a.s.l.
Rated current	: 332 A	Protection degree	: IP55
L. R. Amperes	: 2523 A	Cooling method	: IC411 - TEFC
LRC	: 7.6	Mounting	: B3L(E)
No load current	: 107 A	Rotation ¹	: Both (CW and CCW)
Rated speed	: 1485 rpm	Noise level ²	: 71.0 dB(A)
Slip	: 1.00 %	Starting method	: Direct On Line
Rated torque	: 884 ft.lb	Approx. weight ³	: 2863 lb
Locked rotor torque	: 220 %		
Breakdown torque	: 220 %		
Insulation class	: F		
Service factor	: 1.25		
Moment of inertia (J)	: 82.2 sq.ft.lb		
Design	: N		

Output	25%	50%	75%	100%	Foundation loads		
Efficiency (%)	95.8	95.3	95.9	95.6	96.3	96.3	Max. traction : 4024 lb
	94.5		95.0		95.8	96.2	
Power Factor	0.52	0.45	0.77	0.71	0.85	0.81	Max. compression : 6886 lb
	0.46		0.72		0.81	0.85	

Losses at normative operating points (speed;torque), in percentage of rated output power

Losses (%)	P1 (0,9;1,0)	4.4	4.1	4.5
	P2 (0,5;1,0)	3.1	2.9	3.2
	P3 (0,25;1,0)	2.3	2.2	2.4
	P4 (0,9;0,5)	3.0	2.8	3.1
	P5 (0,5;0,5)	1.9	1.8	2.0
	P6 (0,5;0,25)	1.6	1.5	1.7
	P7 (0,25;0,25)	0.9	0.8	0.9

		<u>Drive end</u>	<u>Non drive end</u>
Bearing type	:	6319 C3	6316 C3
Sealing	:	WSeal	WSeal
Lubrication interval	:	8000 h	10000 h
Lubricant amount	:	45 g	34 g
Lubricant type	:	Mobil Polyrex EM	

Notes:

This revision replaces and cancel the previous one, which must be eliminated.

- (1) Looking the motor from the shaft end.
- (2) Measured at 1m and with tolerance of +3dB(A).
- (3) Approximate weight subject to changes after manufacturing process.
- (4) At 100% of full load.

These are average values based on tests with sinusoidal power supply, subject to the tolerances stipulated in NEMA MG-1.

Rev.	Changes Summary	Performed	Checked	Date
Performed by		Page 1 / 1		
Checked by				
Date	26/03/2024			
			Revision	